

# Safety Data Sheet

according to Regulation (EC) No. 453/2010

Date of issue: 08/11/2016 Revision date: 05/06/2015 · Version: 10.0

### **ULTRA LEMON C.C. 3402 90 90**

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : ULTRA LEMON C.C. 3402 90 90

Type of product : Technical product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Professional use

Industrial/Professional use spec : For professional use only Use of the substance/mixture : Hard surface cleaner

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

ANACHEM 55 SCHOOL ROAD, BALLYMARTIN, KILKEEL, COUNTY DOWN, N. IRELAND, BT34 4UP, NORTHERN

IRFI AND

Tel: 028 437 67111 Fax: 028 437 68080 Email: leon.hanna@btconnect.com

#### 1.4. Emergency telephone number

Emergency number : Mon to Fri 8.30am to 5.00pm - 028 437 67111

# **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin Corr. 1A H314

Full text of H-phrases: see section 16

#### 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS05

Signal word (CLP) : Danger

Hazard statements (CLP) : H314 - Causes severe skin burns and eye damage

Precautionary statements (CLP) : P260 - Do not breathe spray

P264 - Wash hands thoroughly after handling

P280 - Wear eye protection, protective gloves, protective clothing

P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing

P315 - Get immediate medical advice/attention

P405 - Store locked up

#### 2.3. Other hazards

No additional information available

# **SECTION 3: Composition/information on ingredients**

#### 3.1. Substance

Not applicable

Document generated @ 08/11/2016 17:31:20 Page 1 of 7

10/06/2015 EN (English) 1/7

# Safety Data Sheet

according to Regulation (EC) No. 453/2010

#### 3.2. Mixture

Name	Product identifier	%	Classification according to Directive 67/548/EEC	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Oxirane, 2-methyl-, polymer with oxirane, mono(2-propylheptyl) ether	(CAS No) Polymer_DT03	1 - 5	Xn; R22 Xi; R41	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
disodium metasilicate	(CAS No) 6834-92-0 (EC no) 229-912-9 (EC index no) 014-010-00-8	1 - 5	C; R34 Xi; R37	Skin Corr. 1B, H314 STOT SE 3, H335
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides	(CAS No) 68424-85-1 (EC no) 270-325-2 (REACH-no) 01- 2119965180-41	1 - 5	Xn; R22 C; R34 N; R50	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Aquatic Acute 1, H400

Full text of R- and H-phrases: see section 16

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : Get medical advice/attention if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash with plenty of soap and water. Take off immediately all contaminated clothing and wash it

before reuse.

First-aid measures after eye contact : Immediately rinse with water for a prolonged period while holding the eyelids wide open. Get

immediate medical advice/attention.

First-aid measures after ingestion : Do NOT induce vomiting. Rinse mouth. Drink plenty of water. Get medical advice/attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : May cause respiratory irritation.

Symptoms/injuries after skin contact : Burns.

Symptoms/injuries after eye contact : Causes serious eye damage.

Symptoms/injuries after ingestion : Burns.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry powder. Foam.

# 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of : Corrosive vapours.

fire

### 5.3. Advice for firefighters

No additional information available

#### **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

#### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

#### **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes.

Hygiene measures : Do not eat, drink or smoke when using this product.

Document generated @ 08/11/2016 17:31:20 Page 2 of 7

# Safety Data Sheet

according to Regulation (EC) No. 453/2010

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Does not require any specific or particular technical measures.

Storage conditions : Keep container closed when not in use.

Incompatible products : Oxidizing agent. Strong acids.

Incompatible materials : Metals.

Special rules on packaging : Keep only in original container.

### 7.3. Specific end use(s)

No additional information available

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

No additional information available

#### 8.2. Exposure controls

Materials for protective clothing : Not required for normal conditions of use

Hand protection : Protective gloves
Eye protection : Safety glasses

Skin and body protection : Not required for normal conditions of use

Respiratory protection : Not required for normal conditions of use





# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Liquid.
Colour : Yellow.
Odour : lemon-like.
Odour threshold : No data available

pH : 13.1

Relative evaporation rate (butylacetate=1) : No data available : No data available Melting point Freezing point No data available Boiling point No data available Flash point No data available Auto-ignition temperature No data available Decomposition temperature No data available Flammability (solid, gas) No data available Vapour pressure No data available Relative vapour density at 20 °C No data available

Relative density : 1.07

Solubility : No data available
Log Pow : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : No data available

### 9.2. Other information

No additional information available

Document generated @ 08/11/2016 17:31:20 Page 3 of 7

# Safety Data Sheet

according to Regulation (EC) No. 453/2010

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No additional information available

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No additional information available

#### 10.4. Conditions to avoid

No additional information available

#### 10.5. Incompatible materials

metals.

#### 10.6. Hazardous decomposition products

No additional information available

### **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute toxicity : Not classified

Skin corrosion/irritation : Causes severe skin burns and eye damage.

pH: 13.1

Serious eye damage/irritation : Serious eye damage, category 1, implicit

pH: 13.1

Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
Specific target organ toxicity (single exposure) : Not classified
Specific target organ toxicity (repeated : Not classified

exposure)

Aspiration hazard : Not classified

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

Oxirane, 2-methyl-, polymer with oxirane, mono(2-propylheptyl) ether (Polymer_DT03)			
LC50 fishes 1	> 10 - 100 mg/l		
EC50 Daphnia 1	> 10 - 100 mg/l		
ErC50 (other aquatic plants)	> 10 - 100 mg/l		
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides (68424-85-1)			
ErC50 (algae)	< mg/l		

#### 12.2. Persistence and degradability

No additional information available

# 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other adverse effects

No additional information available

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

No additional information available

Document generated @ 08/11/2016 17:31:20 Page 4 of 7

### Safety Data Sheet

according to Regulation (EC) No. 453/2010

### **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 1760 UN-No. (IMDG) : 1760 UN-No. (IATA) : 1760

14.2. UN proper shipping name

Proper Shipping Name (ADR) : CORROSIVE LIQUID, N.O.S.
Proper Shipping Name (IMDG) : CORROSIVE LIQUID, N.O.S.
Proper Shipping Name (IATA) : CORROSIVE LIQUID, N.O.S.

Transport document description (ADR) : UN 1760 CORROSIVE LIQUID, N.O.S. (SODIUM METASILICATE, QUATERNARY

AMMONIUM COMPOUNDS), 8, III, (E)

Transport document description (IMDG) : UN 1760 CORROSIVE LIQUID, N.O.S., 8, III

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 8
Danger labels (ADR) : 8

8

**IMDG** 

Transport hazard class(es) (IMDG) : 8
Danger labels (IMDG) : 8

8

**IATA** 

Transport hazard class(es) (IATA) : 8
Hazard labels (IATA) : 8



14.4. Packing group

Packing group (ADR) : III
Packing group (IMDG) : III
Packing group (IATA) : III

14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : C9
Special provisions (ADR) : 274

Document generated @ 08/11/2016 17:31:20 Page 5 of 7

# Safety Data Sheet

according to Regulation (EC) No. 453/2010

Limited quantities (ADR) : 5L Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions : T7

(ADR)

Portable tank and bulk container special

provisions (ADR)

: TP1, TP28

Tank code (ADR) : L4BN
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages : V12

(ADR)

Hazard identification number (Kemler No.) : 80

Orange plates

80 1760

Tunnel restriction code (ADR) : E
EAC code : 2X
APP code : B

- Transport by sea

Special provisions (IMDG) : 223, 274 Limited quantities (IMDG) : 5L Excepted quantities (IMDG) : E1 : P001, LP01 Packing instructions (IMDG) IBC packing instructions (IMDG) : IBC03 Tank instructions (IMDG) : T7 Tank special provisions (IMDG) : TP1, TP28 EmS-No. (Fire) : F-A

EmS-No. (Spillage) : S-B Stowage category (IMDG) : A

- Air transport

PCA Excepted quantities (IATA) : E1 PCA Limited quantities (IATA) : Y841 PCA limited quantity max net quantity (IATA) : 1L PCA packing instructions (IATA) : 852 PCA max net quantity (IATA) : 5L CAO packing instructions (IATA) : 856 : 60L CAO max net quantity (IATA) Special provisions (IATA) : A3 ERG code (IATA) : 8L

#### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

IBC code : Not applicable.

### **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

### 15.1.2. National regulations

#### Germany

VwVwS Annex reference : Water hazard class (WGK) 1, slightly hazardous to water (Classification according to VwVwS, Annex 4)

Document generated @ 08/11/2016 17:31:20 Page 6 of 7

# Safety Data Sheet

according to Regulation (EC) No. 453/2010

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

#### Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

#### 15.2. Chemical safety assessment

No additional information available

# **SECTION 16: Other information**

### Full text of R-, H- and EUH-phrases:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Skin Corr. 1A	Skin corrosion/irritation, Category 1A	
Skin Corr. 1B	Skin corrosion/irritation, Category 1B	
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	
H302	Harmful if swallowed	
H314	Causes severe skin burns and eye damage	
H318	Causes serious eye damage	
H335	May cause respiratory irritation	
H400	Very toxic to aquatic life	

#### SDS EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

Document generated @ 08/11/2016 17:31:20 Page 7 of 7